

Bias in the Code: Designing Fair AI Systems for Juvenile Courts and Probation Services

 **Dr. S. Mathumohan^{1*}**  **Mr. K. Surendra Reddy²**  **Dr. I. Sofiya³**  **Dr. M. Ramanan⁴**

¹Professor, Computer Science and Engineering, Fatima Michael College of Engineering and Technology, Madurai, Tamilnadu – 625020, India.

²Assistant Professor, Department of Data Science, Malla Reddy (MR) Deemed to be University, Hyderabad, Telangana 500100, India.

³Assistant Professor, School of Computational Intelligence, Joy University, Vaddakkankulam, Tamil Nadu – 627116, India.

⁴Teaching Assistant, Department of Physical Sciences and IT, Agricultural Engineering College and Research Institute, Tamilnadu Agricultural University, Coimbatore – 641003, India.

DOI: <https://doi.org/10.70333/ijeks-05-07-012>

*Corresponding Author: mathuuit@gmail.com

Article Info: - Received : 12 May 2026

Accepted : 25 June 2026

Published : 30 JULY 2026

Abstract

This paper explores the design of fair AI systems for juvenile courts and probation services, where algorithmic decisions can strongly influence a young person's future. Although AI tools are increasingly used to support risk assessment, case prioritization, and supervision planning, they may also reproduce historical discrimination if trained on biased data or deployed without safeguards. The study examines how fairness, transparency, accountability, and human oversight can be built into AI systems so that they support rehabilitation rather than punishment. It also highlights the need to distinguish between predictive accuracy and equitable treatment, since a highly accurate model may still produce unfair outcomes for marginalized youth. By combining technical fairness methods with legal, ethical, and social considerations, the paper proposes a framework for responsible AI use in juvenile justice. The goal is to reduce bias, improve trust in decision-making, and ensure that technology strengthens due process, rehabilitation, and child-centred justice.

Keywords: *Fair AI, Juvenile justice, Algorithmic bias, Risk assessment, Probation services, Transparency, Accountability, Human oversight.*



© 2026. Dr. S. Mathumohan et al., This is an open access article distributed under the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

1. Introduction

Artificial intelligence is increasingly entering juvenile justice systems through tools that support screening, supervision, risk estimation, and case prioritization. In these settings, AI is often presented as a way to improve efficiency, consistency, and speed in decision-making. However, because juvenile justice deals with children and adolescents, even small errors or hidden biases can have serious and lasting consequences [1]. This makes the use of AI in such contexts ethically sensitive and socially important. A fair system must not only predict outcomes but also protect rights, dignity, and rehabilitation opportunities for young people. The introduction to this article therefore frames AI not as a neutral technical solution, but as a powerful socio-technical system that must be carefully designed, monitored, and governed [2].

1.1 The Rise of AI in Juvenile Justice Decision-Making

AI has gained attention in juvenile justice because agencies face heavy caseloads, limited resources, and pressure to make timely decisions. Automated or semi-automated tools are now used to estimate reoffending risk, support detention recommendations, identify supervision intensity, and assist probation planning. These systems are often adopted with the promise of improving consistency and reducing human error [3].

In practice, however, they also shift part of the decision-making process from professional judgment to data-driven prediction. This change is significant because the inputs used by AI systems may reflect historic inequities, unequal policing, social disadvantage, or incomplete records. As a result, the rise of AI in juvenile justice represents both an opportunity and a warning: while technology can support more structured decisions, it can also automate unfairness if its design and deployment are not carefully controlled [4].

1.2 Why Bias in Algorithms Matters for Youth

Bias in algorithms matters especially in juvenile justice because young people are still developing, more vulnerable to institutional harm, and more likely to be affected by long-term labelling. If an AI system overestimates risk

for certain communities, it may lead to harsher supervision, unnecessary detention, or reduced access to diversion and rehabilitation programs. These outcomes can shape a young person's educational path, family relationships, and future opportunities [5].

Unlike adult systems, juvenile justice is supposed to emphasize care, rehabilitation, and reintegration rather than punishment alone. Algorithmic bias undermines this purpose by treating unequal social conditions as if they were individual risk signals. It may also reinforce existing disparities linked to race, poverty, neighbourhood, disability, or prior contact with the justice system. For youth, fairness is therefore not just a technical feature; it is a safeguard against deeper harm [6].

1.3 Scope and Objectives of the Article

This article focuses on how fair AI can be designed and applied within juvenile courts and probation services without compromising justice or child welfare. Its scope includes the sources of bias in data, the role of model design, the need for transparency, and the importance of human oversight in final decisions. It also considers the legal and ethical implications of using predictive tools in environments where outcomes can affect liberty, rehabilitation, and social inclusion [7].

The objective is to move beyond simple accuracy-based evaluation and show why fairness must be measured in relation to impact on youth. The article aims to provide a balanced framework that can guide researchers, policymakers, court administrators, and technology developers. By doing so, it seeks to support responsible innovation while ensuring that AI systems remain aligned with the best interests of children and adolescents [8].

1.4 Positioning Fair AI within Social Justice and Youth Policy

Fair AI should be understood as part of a broader commitment to social justice and youth-centred policy. In juvenile justice, this means technology must support equitable treatment, procedural fairness, and opportunities for rehabilitation rather than intensifying surveillance or exclusion. Social justice requires attention to structural inequalities that shape young people's contact with the justice system in

the first place, including family disadvantage, school discipline, community policing, and access to support services [9].

Youth policy, meanwhile, emphasizes development, protection, and reintegration, all of which can be weakened if AI tools reproduce biased assumptions. Fair AI therefore cannot be limited to model adjustments alone; it must be embedded in policy design, institutional accountability, and community oversight. When positioned correctly, fair AI can become a tool that strengthens justice systems rather than narrowing the life chances of vulnerable youth [10].

2. Background and Context

Juvenile justice systems are designed to respond to offenses committed by minors in a way that balances public safety with rehabilitation, welfare, and reintegration. Unlike adult criminal courts, juvenile courts typically place greater emphasis on the developmental stage of the child, family circumstances, education, and social support needs. Probation services play a central role in this process by supervising young people in the community, monitoring compliance with court orders, and connecting them to counselling, school support, and other interventions [11]. In many jurisdictions, probation officers and judges must make decisions under pressure, with limited time and incomplete information. This environment has made juvenile justice a promising setting for data-driven tools, but also a highly sensitive one. Because decisions can shape a young person's liberty, education, and future pathways, any technological support must be handled with great care [12].

2.1 Overview of Juvenile Courts and Probation Services

Juvenile courts are specialized legal institutions created to deal with offenses committed by children and adolescents in a manner distinct from adult criminal courts. Their central purpose is not only to determine responsibility, but also to identify interventions that may help a young person return to a stable and productive path. Judges in these courts often consider school behaviour, family support, mental health needs, and prior contact with social services before making decisions [13].

Probation services complement this process by supervising youth in the community instead of placing them in secure custody whenever possible. Probation officers may check compliance, coordinate services, and report progress to the court. In theory, this system is intended to be individualized and rehabilitative. In practice, however, its decisions are often influenced by resource limits, case volume, and local policy priorities, which can lead to inconsistency across cases and regions [14].

2.2 Existing Uses of Risk Assessment and Predictive Tools

Risk assessment tools are already used in many juvenile justice systems to estimate the likelihood of reoffending, missing court appointments, or requiring higher levels of supervision. These tools often rely on historical data such as prior arrests, school attendance, family background, and neighbourhood indicators. Some systems also use predictive models to help assign probation intensity, suggest diversion options, or prioritize cases for intervention. Supporters argue that such tools improve consistency and help agencies allocate scarce resources more efficiently [15].

However, these systems often reflect the data on which they were trained, and that data may already contain patterns shaped by unequal enforcement or social disadvantage. As a result, a tool may appear objective while still reproducing old inequalities. The use of prediction in juvenile justice therefore raises a difficult question, whether a system built to measure risk can also be trusted to support fairness and rehabilitation [16].

2.3 Historical and Structural Inequities in Youth Justice

Youth justice systems have long been shaped by structural inequality, including racial discrimination, poverty, unequal schooling, and uneven access to legal support. These conditions influence who comes into contact with the justice system, how often they are monitored, and how seriously their behaviour is interpreted. Historical patterns of over-policing in disadvantaged neighbourhoods have contributed to biased arrest records, which then become part of the data used in modern decision tools [17].

This means that algorithmic systems may inherit inequities that were created long before the technology was introduced. Structural inequities also affect how youth are assessed by humans, since stereotypes and institutional expectations can shape judgment. When AI is trained on such data, it may not remove bias; instead, it may formalize and scale it. For this reason, any fair AI approach must confront not only technical model errors but also the social conditions that create unequal justice outcomes [18].

2.4 Public and Political Debates on Algorithmic Decision-Support

The use of AI in juvenile justice has generated strong public and political debate because it touches on accountability, transparency, and the rights of children. Supporters of algorithmic decision-support argue that it can reduce subjective inconsistency, standardize assessments, and help overwhelmed agencies make better use of evidence. Critics, however, warn that these systems can hide bias behind technical language, making it difficult for defendants, families, and even judges to understand how decisions are produced [19].

There is also concern that automated tools may give a false sense of neutrality, encouraging institutions to trust model outputs too much. Politically, debates often centre on whether public agencies should rely on proprietary systems that cannot be independently reviewed. In juvenile settings, these concerns are especially serious because the consequences of error may follow a young person for years. The public discussion therefore reflects a broader tension between innovation and rights protection, with fairness, transparency, and oversight at the centre of the debate [20].

3. Understanding Algorithmic Bias in Justice Systems

Algorithmic bias in justice systems occurs when data-driven tools produce systematically different outcomes for certain groups, especially when those outcomes reflect past inequality rather than true risk. In juvenile justice, this is particularly serious because biased predictions can affect detention, probation intensity, diversion, and access to rehabilitation. A fair framework must therefore examine not only

whether a model is accurate, but also whether it treats youth equitably across race, gender, and socioeconomic background [21].

3.1 Sources of Bias: Data, Models, and Context

Bias can enter at three main stages: the data used to train the system, the model that learns patterns from that data, and the social context in which the model is applied. Data bias appears when records are incomplete, distorted, or shaped by unequal policing and supervision. Model bias appears when an algorithm amplifies those patterns through its objective function or threshold choices. Context bias appears when a tool is deployed in a setting where historical injustice, institutional pressure, or limited resources affect how its outputs are used. A simple way to express this is

$$\hat{y} = f(X)$$

where X is the input data and $\hat{y}$ is the predicted outcome. If X contains biased information, then $\hat{y}$ may reproduce that bias. In practice, fairness requires checking every stage, not only the final prediction [22].

3.2 Types of Bias Affecting Youth Populations

Several forms of bias are common in youth justice applications. Historical bias arises when past discriminatory practices are embedded in training data. Measurement bias occurs when variables such as “risk” or “delinquency” are recorded inconsistently across groups. Selection bias appears when the data represent only those already processed by the system, leaving out youth who were never reported or charged [23]. Label bias happens when the target outcome itself is influenced by human discretion, such as arrest or detention decisions. One useful fairness metric is demographic parity

$$P(\hat{Y} = 1 | A = a) = P(\hat{Y} = 1 | A = b)$$

where A is a protected attribute such as race or gender. Another is equal opportunity:

$$P(\hat{Y} = 1 | Y = 1, A = a) = P(\hat{Y} = 1 | Y = 1, A = b)$$

These formulas help identify whether a model treats groups differently, but they must be interpreted carefully in legal and ethical context.

3.3 Differential Impact Across Race, Gender, and Socioeconomic Groups

Bias often affects youth unevenly across race, gender, and class because these

characteristics shape exposure to surveillance, school discipline, and justice contact. For example, children from marginalized racial groups may be policed more heavily, generating more records that then appear to justify higher risk scores. Youth from low-income families may also be more likely to have unstable housing, irregular school attendance, or limited legal support, all of which can be misread as individual failure rather than structural disadvantage. Gender bias can appear when boys are rated as more risky or girls are assessed through stereotypes about vulnerability or compliance [24]. A useful impact measure is the disparity ratio

$$DR = \frac{P(\hat{Y}=1|A=a)}{P(\hat{Y}=1|A=b)} \quad (1)$$

If this ratio is far from 1, the system may be distributing benefits or burdens unequally. In juvenile justice, such differences can change a young person's access to diversion, probation, or detention [25].

3.4 Bias Interplay with Human Discretion and Organizational Culture

Algorithmic bias does not operate alone; it interacts with human judgment and organizational culture. Judges, probation officers, and case managers may trust algorithmic outputs too much, ignore them selectively, or use them to justify pre-existing beliefs. This is sometimes called automation bias, where people over-rely on machine recommendations even when those recommendations are flawed. Organizational culture also matters because agencies may reward speed, compliance, and risk avoidance over individualized care [26]. If an institution already favours caution, an AI tool may intensify that tendency rather than correct it. The overall decision can be understood as

$$D = \alpha A + \beta H + \gamma C \quad (2)$$

where D is the final decision, A is the algorithmic output, H is human judgment, and C is organizational context. If C is biased, then even a "fair" model may still produce unfair outcomes in practice. For this reason, fairness in juvenile justice must include both technical design and institutional reform.

4. Legal, Ethical, and Human Rights Frameworks

The use of AI in juvenile justice must be guided by legal protections, ethical duties, and human rights standards that place the child at the centre of every decision. Because these systems can influence liberty, supervision, and rehabilitation, they must respect due process, privacy, and the special protections owed to minors. A fair AI approach in this area is not only about technical accuracy; it is about ensuring that decisions remain understandable, contestable, proportionate, and consistent with children's rights [27].

4.1 Due Process, Fair Trial, and the Right to Be Heard

Due process requires that any decision affecting a young person's rights be made through a fair, transparent, and reviewable procedure. In juvenile courts, this means that a child and their guardian should be able to understand the basis of a recommendation, challenge incorrect information, and present their own explanation. If an AI tool contributes to detention, probation conditions, or supervision intensity, its role should not be hidden behind technical complexity. A fair trial also implies that decision-making should not depend on secret criteria or unexamined risk scores [28].

The right to be heard is especially important for minors because they are often treated as passive subjects of institutional authority. In practice, this means the system must allow meaningful human review, not simply automated outputs. The formula for procedural fairness can be expressed conceptually as

Fair Decision = Notice + Explanation +
Opportunity to Respond + Review
Without these elements, algorithmic use in juvenile justice risks undermining legitimacy [29].

4.2 Child-Rights Principles and the Best Interests of the Child

Child-rights frameworks require that every action affecting a minor prioritize the child's best interests. In juvenile justice, this principle means rehabilitation, dignity, development, and

reintegration should outweigh purely punitive goals. AI systems must therefore be designed to support outcomes that reduce harm and expand opportunity, not simply identify risk. A model that classifies a child as “high risk” but ignores education, family context, trauma, or mental health needs may conflict with child-rights principles [30].

The best-interests standard is not a vague idea; it is a practical rule that demands individualized assessment and care. Ethical AI in this setting should therefore support diversion, support services, and proportionate responses whenever possible. It should also avoid using historical disadvantage as a proxy for future behaviour. In simple terms, the system should ask not only “What is the likelihood of reoffending?” but also “What response best protects the child’s future?” [31]

4.3 Privacy, Data Protection, and Informed Consent for Minors

Privacy is a major concern because juvenile justice systems often collect highly sensitive data, including school records, family history, mental health details, and behavioural assessments. Minors are especially vulnerable because they may not fully understand how their data will be used, shared, or stored. Data protection principles require minimization, purpose limitation, secure handling, and clear retention rules. Informed consent is also complicated for children, since they may not have the legal or developmental capacity to give fully informed agreement on their own [32].

That means consent must often involve parents, guardians, or legal representatives, while still respecting the child’s voice. A useful privacy principle can be written as

$$\text{Data Use} \leq \text{Necessary Purpose} \quad (3)$$

meaning that only the minimum data required for a legitimate function should be collected and processed. If AI systems use broad datasets without strong safeguards, they may expose children to surveillance, profiling, or unauthorized secondary use. Privacy protection is therefore not optional; it is part of ethical juvenile justice [33].

4.4 Ethical Guidelines for AI in Public-Sector Justice

Public-sector AI in justice should follow stronger ethical standards than ordinary commercial technology because the consequences affect rights, liberty, and public trust. Core guidelines include transparency, accountability, human oversight, contestability, fairness testing, and continuous monitoring. Systems should be evaluated before deployment and regularly audited afterward to detect disparate impacts across protected groups. Decision-makers should never treat AI as a substitute for judgment, especially in child-centred settings where context matters deeply [34].

Ethical use also requires explainability, so courts and probation agencies can understand how outputs are produced and where errors may occur. A simple ethical risk check can be expressed as

$$R = P \times I \quad (4)$$

where R is risk, P is probability of harm, and I is impact. In juvenile justice, even a low-probability error can have severe impact, so caution is essential. Ethical AI should therefore support public values, strengthen accountability, and preserve the rehabilitative mission of the justice system [35].

5. Designing Fair AI Systems for Youth Justice

Fair AI in juvenile courts and probation work should be built as a decision-support system, not a replacement for judicial or professional judgment. The design goal is to reduce hidden bias, preserve due process, and make outputs understandable to practitioners, families, and young people. In juvenile justice, fairness and accuracy can conflict, so the system must be evaluated not only for prediction quality but also for unequal impact and contestability [36].

5.1 Principles of Fair, Transparent, and Accountable AI

A fair system should follow four core principles: fairness, transparency, accountability, and proportionality. Fairness means similar cases should be treated consistently unless there is a justified reason to

differ, transparency means decision logic, data sources, and limitations should be visible, accountability means a named human or institution remains responsible for the final decision, and proportionality means the technology should do no more harm than necessary. UNESCO's ethics guidance also emphasizes transparency and explainability as central to ethical AI deployment [37].

A useful operational framing is

$$\text{Trustworthy AI} = \text{Fairness} + \text{Transparency} \\ + \text{Accountability} + \text{Human Oversight}$$

These principles are especially important for youth because errors can affect liberty, education, family relationships, and future opportunities [38].

5.2 Data Collection and Preprocessing for Equity

Equity begins with the data pipeline, because biased data will usually produce biased predictions. Collection should avoid over-reliance on variables that act as proxies for race, poverty, or neighbourhood disadvantage unless there is a clearly justified legal and ethical reason. Missing values, label noise, and historically biased records should be audited before model training. Berk's work on juvenile risk assessment notes that bias in criminal justice AI can come from the training data, the algorithm itself, or how the output is used [39].

Useful preprocessing steps include reweighting underrepresented cases, removing problematic proxy variables, checking base rates across groups, and documenting data provenance. A simple representation of weighted learning is

$$L = \sum_{i=1}^n w_i \ell(y_i, \hat{y}_i) \quad (5)$$

where w_i gives more influence to underrepresented or fairness-sensitive cases. This does not solve all bias, but it helps reduce the effect of uneven historical records [40].

5.3 Model Selection and Bias Mitigation Techniques

Model choice matters because some methods are easier to audit than others. In justice settings, simpler and more interpretable models are often preferable when they perform comparably to complex black-box systems. Bias

mitigation can happen before training, during training, or after training [41].

Pre-processing methods change the data, in-processing methods add fairness constraints to the learning objective, and post-processing methods adjust outputs to reduce disparities. A fairness-regularized objective can be written as

$$J(\theta) = \mathcal{L}(\theta) + \lambda \Omega(\theta) \quad (6)$$

where $\mathcal{L}$ is prediction loss, Ω is a fairness penalty, and λ controls the trade-off. In juvenile justice, this trade-off must be handled cautiously because improvements in one fairness metric may worsen another. The literature emphasizes that no single technical fix satisfies every fairness goal, so legal and policy judgment remains necessary [42].

5.4 Human-in-the-Loop Design for Juvenile Court and Probation Workflows

Human-in-the-loop design means the algorithm informs decisions, but trained professionals retain authority and responsibility. This is crucial in juvenile justice because context such as trauma, family instability, disability, or school issues may not be fully captured in the data. Judges and probation officers should be able to override model outputs, record reasons for override, and receive training on how to interpret uncertainty [43].

A human review step should be mandatory whenever the model recommends detention, intensive supervision, or other high-impact outcomes.

A practical workflow can be represented as

$$\text{Final Decision} = \\ g(\text{AI Output}, \text{Human Judgment}, \text{Case Context}) \quad (7)$$

where AI is only one input among several. This design reduces automation bias and supports individualized justice. It also ensures the system remains aligned with the rehabilitative mission of juvenile courts rather than forcing decisions into a rigid score-driven process [44].

5.5 Explainability and Interpretable Outputs for Practitioners and Families

Explainability is essential because a decision that cannot be understood cannot be meaningfully challenged. Practitioners need concise reasons, ranked factors, and confidence information; families and youth need plain-language explanations that avoid technical jargon. Interpretable outputs can include feature importance, counterfactual explanations, and short narrative summaries of why a case received a particular recommendation [45].

UNESCO likewise treats explainability as a core ethical requirement for AI systems.

For example, a model could report: “This recommendation is driven mainly by prior supervision failures, school attendance instability, and lack of confirmed community support,” while also clarifying that these factors are not destiny. A counterfactual form is:

If X_k had been lower, then $\hat{y}$ would likely decrease

This helps practitioners see what factors influenced the result and what interventions might change future outcomes. In juvenile justice, explainability is not just a technical feature; it is part of dignity, trust, and procedural fairness [46].

6. System Architecture and Implementation

An AI-assisted youth justice platform should be designed as a layered decision-support architecture, where data ingestion, risk analytics, case workflow integration, and human review are separated but connected. In juvenile justice, the system must support case management and supervision without turning AI into the final decision-maker. The best practice is to treat AI as an assistive layer that helps staff prioritize, explain, and document decisions, while leaving legal authority with trained professionals [47].




Figure 1. A Transparent, Accountable, And Fair Framework

6.1 High-Level Architecture of an AI-Assisted Youth Justice Platform

A practical architecture includes five layers: data sources, preprocessing and governance, model services, application interfaces, and audit/monitoring modules. Data sources may include court records, probation notes, education inputs, and service referrals, but only if collection is lawful and necessary. The model services layer generates risk or needs estimates, while the application layer presents those results to judges, probation officers, and

supervisors through role-specific dashboards [48].

The audit layer logs inputs, predictions, overrides, and outcomes so the system can be reviewed later. A simplified form is

$$\text{Platform} = \text{Data Layer} + \text{Model Layer} + \text{Workflow Layer} + \text{Audit Layer} \quad (8)$$

This design supports transparency and helps prevent a black-box system from dominating juvenile decisions.

6.2 Integration with Case-Management and Monitoring Systems

Integration should occur through secure APIs that connect the AI engine to existing case-management and monitoring software. This allows probation officers and court staff to see the AI output inside the tools they already use, rather than forcing duplicate data entry. The OJP community supervision work shows that AI-enabled systems can be embedded into operational corrections environments without disrupting normal workflows when carefully implemented [49].

A typical integrated flow is Case Record → AI Analysis → Case Dashboard → Staff Review → Action

This integration should also support alerts, service recommendations, and follow-up scheduling, but only as prompts for human review. It should not automatically trigger punitive responses [50].

6.3 Access Control, Role-Based Interfaces, and Audit Trails

Access control is essential because juvenile records contain sensitive personal data. Role-based access should ensure that judges, probation officers, administrators, analysts, and family-facing staff see only the information they need for their function. For example, a probation officer may view supervision notes and case recommendations, while a family interface may show a simplified explanation and next steps. Strong authentication, permission tiers, and data minimization reduce privacy risk and accidental misuse [51].

Audit trails should record who viewed the data, what recommendation was shown, whether it was overridden, and what reason was entered. This creates accountability and supports later review if a decision is challenged. A useful audit structure is:

Audit Log

= {user,timestamp,input,output,override,reason}

Such records help organizations demonstrate responsible use and detect patterns of misuse or unequal treatment [52].

6.4 Safeguards Against Automation Bias and Over-Reliance

Automation bias is the tendency to trust a machine recommendation too much, even when human judgment or case facts suggest otherwise. In juvenile justice, this is especially dangerous because a risk score may appear objective and can strongly influence detention or supervision decisions. Research on automation bias shows that people often defer to automated outputs unless they are actively trained to question them [53].

Safeguards should include mandatory human review, training on model limits, explanation screens that show uncertainty, and policy rules that prohibit one-click adoption of algorithmic suggestions. High-stakes recommendations should require a second reviewer or supervisory sign-off. A practical rule is

Final Action ≠

AI Output Alone

Instead, the final action should combine model output, case context, and professional judgment. This keeps the platform aligned with youth justice values and reduces the risk of over-reliance [54].

7. Case Studies and Real-World Deployments

Real-world juvenile justice deployments show that AI and risk tools can improve consistency and service targeting, but they also reveal persistent concerns about fairness, calibration, and policy legitimacy. The strongest lesson is that technology can support better decisions only when agencies, communities, and courts are prepared to govern it carefully [55].

7.1 Case Study 1: Juvenile Risk-Assessment Tool in a Probation Service

A well-known line of work in juvenile probation has used structured risk assessment to support supervision and service planning rather than to replace professional judgment. Studies of county probation implementations found that risk tools improved the assignment of community-based services and helped agencies tailor interventions more systematically. In one evaluation, the use of assessment-informed practice improved the fit between youth needs and available programs, which is important because effective probation is not only about control but also about support [56].

At the same time, research on juvenile risk assessment shows that predictive performance can differ by race, ethnicity, and sex. For example, a recent study of the PACT tool found that Black and Hispanic boys had the highest base rates of rearrest and the highest rates of inaccurate classification, especially where low-risk youth were used as the reference group. This shows why agencies must examine error patterns, not just overall accuracy [57].

7.2 Case Study 2: Pretrial Diversion and Supervision Algorithm

Pretrial diversion programs are often used to keep young people out of formal court processing when a restorative or low-risk response is more appropriate. NIJ evaluations of prosecutor-led diversion programs found reduced likelihood of conviction and incarceration in several sites, and in many cases reduced rearrest as well. A randomized trial of San Francisco's Neighbourhood Courts also suggested that restorative diversion can reduce recidivism, although that result was not statistically significant [58].

In algorithmic versions of diversion and supervision, the main promise is to help agencies identify candidates for less intensive intervention. But if the model is trained on biased enforcement data, it may incorrectly steer some youth away from diversion or toward heavier supervision. The policy lesson is that diversion algorithms must be treated as support tools, not automatic gatekeepers [59].

7.3 Lessons on Bias Reduction, Stakeholder Buy-In, and Policy Reform

These case studies suggest three practical lessons [60]. First, bias reduction must be built into the system from the start, with regular testing for subgroup error rates, calibration, and disparate impact. Second, stakeholder buy-in matters because judges, probation staff, defence counsel, families, and community advocates must trust the process enough to use it responsibly. Third, policy reform is often needed because technical fixes alone cannot solve structural problems in arrest patterns, school discipline, or unequal supervision [61].

A useful framing is:

Effective Deployment = Technical Performance + Stakeholder Trust + Policy Alignment

The evidence shows that fairer outcomes are most likely when AI is embedded in a broader reform strategy rather than introduced as a standalone solution [62].

8. Conclusion

Services highlight a critical truth: AI can improve consistency and efficiency in juvenile justice, but only if fairness is built into every stage of design and deployment. The system must not simply automate decisions; it must actively reduce racial, socioeconomic, and developmental bias that can affect young people's lives. Juvenile courts and probation services deal with vulnerable individuals, so even small errors or hidden biases can lead to serious long-term harm. For that reason, fairness, transparency, human oversight, and regular auditing are not optional features but essential safeguards. A responsible AI system should support judges and probation officers, not replace their judgment, while ensuring that decisions remain equitable, explainable, and centred on rehabilitation rather than punishment.

References:

- [1] Sridharan, A., Praveen, R. V., Gupta, R. K., Kumar, P., SG, P. K., & Anusuya, M. (2025, January). [Optimization of Ag-Loaded BifeO₃/Cus Photocatalysts for Enhanced Antibiotic Degradation Using Random Forest and Genetic Algorithms](#). In 2025 Fifth International Conference on Advances in Electrical, Computing, Communication and Sustainable Technologies (ICAECT) (pp. 1-7). IEEE.
- [2] Nayak, I., Praveen, R. V. S., Chinthamu, N., Satapathy, P., Khetre, R. D., & Bansal, N. (2024). [A Comparative Analysis of Educational Leadership Practices and Policies across diverse Countries and Cultures](#). *Library of Progress-Library Science, Information Technology & Computer*, 44(3).
- [3] Jain, A., Praveen, R. V. S., Musale, V., Chinthamu, N., Kumar, Y., RamaKrishna, B. V., & Shrivastava, A. (2024). [Quantum Computing and Its Implications for Cryptography: Assessing the Security and Efficiency of Quantum Algorithms](#). *Library of Progress-Library Science, Information Technology & Computer*, 44(3).

- [4] Khan, M. A., Kumaraguru, S., Praveen, R., Chinthamu, N., Sarkar, R., Deka, N., & Shrivastava, A. (2024). [Exploring the Role of Artificial Intelligence in Personalized Healthcare: From Predictive Diagnostics to Tailored Treatment Plans](#). *Frontiers in Health Informatics*, 13(3).
- [5] Mohod, S. B., Ingole, K. R., Praveen, R. V. S., Deepak, A., Sukshma, B., & Shrivastava, A. (2024). [Using Convolutional Neural Networks for Accurate Medical Image Analysis](#). *Frontiers in Health Informatics*, 13(3).
- [6] Jadhav, S., Chakrapani, I. S., Sivasubramanian, S., RamKrishna, B. V., Mouleswararao, B., & Gangwar, S. (2025). [Designing Next-Generation Platforms with Machine Learning to Optimize Immune Cell Engineering for Enhanced Applications](#). *Trends in Immunotherapy*, 226-244.
- [7] Chatterji, D., Praveen, R., Koneti, C., & Alex, S. (2024). [Challenge and impact and role of innovation and entrepreneurship in business growth](#). *European Economic Letters (EEL)*, 14(3), 1141-1149.
- [8] Murugan, M., Turlapati, M. V. R., Koneti, C., Praveen, R. V. S., & Srivastava, A. (2024). [Blockchain Based Solutions For Trust And Transparency In Supply Chain Management](#). *Library Progress International*, 44(3), 24662-24674.
- [9] Rakesh, S., Praveen, R. V. S., Ramkumar Prabhu, M., Chauhan, A., Pal, S., & Kalra, G. (2024, November). [Graph convolutional neural networks for attack detection in wireless sensor networks security](#). In *Proceedings of the 3rd International Conference on Optimization Techniques in the Field of Engineering (ICOFE-2024)*.
- [10] Lopez, S., Sarada, V., Praveen, R. V. S., Pandey, A., Khuntia, M., & Haralayya, D. B. (2024). [Artificial intelligence challenges and role for sustainable education in india: Problems and prospects](#). Sandeep Lopez, Vani Sarada, RVS Praveen, Anita Pandey, Monalisa Khuntia, Bhadrappa Haralayya (2024) [Artificial Intelligence Challenges and Role for Sustainable Education in India: Problems and Prospects](#). *Library Progress International*, 44(3), 18261-18271.
- [11] Anuprathibha, T., Praveen, R. V. S., Sukumar, P., Suganthi, G., & Ravichandran, T. (2024, October). [Enhancing Fake Review Detection: A Hierarchical Graph Attention Network Approach Using Text and Ratings](#). In *2024 Global Conference on Communications and Information Technologies (GCCIT)* (pp. 1-5). IEEE.
- [12] Bhagat, S. K., Thamma, S. R., Devalampeta, B. R., Jangareddy, M. R., Kumar, R., & Pandey, S. D. (2025, May). [Smart Parallel Algorithm for Optimized Load Balancing in Cloud Computing](#). In *2025 2nd International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering (RMKMATE)* (pp. 1-6). IEEE.
- [13] Sathya, R., Bharathi, V. C., Ananthi, S., Vijayakumar, T., Praveen, R., & Ramasamy, D. (2024, October). [Real time prediction of diabetes by using artificial intelligence](#). In *2024 2nd International Conference on Self Sustainable Artificial Intelligence Systems (ICSSAS)* (pp. 85-90). IEEE.
- [14] Alfurhood, B. S., Danthuluri, M. S. M., Jadhav, S., Mouleswararao, B., Kumar, N. P. S., & Taj, M. (2025). [Real-time heavy metal detection in water using machine learning-augmented CNT sensors via truncated factorization nuclear norm-based SVD](#). *Microchemical Journal*, 115375.
- [15] Praveen, R., Vinoth, B., Sowmiya, S., Tharageswari, K., VamsiLala, P. N. V., & Sathya, R. (2024, October). [Air pollution monitoring system using machine learning techniques for smart cities](#). In *2024 2nd International Conference on Self Sustainable Artificial Intelligence Systems (ICSSAS)* (pp. 710-714). IEEE.
- [16] Yamuna, V., Praveen, R. V. S., Sathya, R., Dhivva, M., Lidiya, R., & Sowmiya, P. (2024, October). [Integrating AI for improved brain tumor detection and classification](#). In *2024 4th International Conference on Sustainable Expert Systems (ICSES)* (pp. 1603-1609). IEEE.
- [17] Sharma, S., Vij, S., Praveen, R. V. S., Srinivasan, S., Yadav, D. K., & VS, R. K. (2024, October). [Stress prediction in higher education students using psychometric assessments and AOA-CNN-XGBoost models](#). In *2024 4th International Conference on Sustainable Expert Systems (ICSES)* (pp. 1631-1636). IEEE.
- [18] Praveen, R. V. S., Wagh, K. S., Saravanan, B., & Sundararaj, G. K. (2024). [NEXT-GENERATION CIRCUITS FOR INDUSTRY 4.0 USING INNOVATIONS IN SMART INDUSTRIAL APPLICATIONS](#). *ICTACT JOURNAL ON MICROELECTRONICS*, 10(03).
- [19] Lavanya, M., Jayamanmadharao, M., Sonia, B., Praveen, R. V. S., Sarkar, R., & Chitra, D. (2024, September). [MPC Controller Design For Multiple Input And Multiple Output System](#). In *2024 International Conference on Distributed Systems, Computer Networks and Cybersecurity (ICDSCNC)* (pp. 1-5). IEEE.

- [20] Kumar, N., Kurkute, S. L., Kalpana, V., Karuppannan, A., Praveen, R. V. S., & Mishra, S. (2024, August). [Modelling and evaluation of Li-ion battery performance based on the electric vehicle tiled tests using Kalman filter-GBDT approach](#). In *2024 International Conference on Intelligent Algorithms for Computational Intelligence Systems (IACIS)* (pp. 1-6). IEEE.
- [21] Rani, B., Praveen, R. V. S., Alex, S., Mohiuddin, M. Q., HARALAYYA, B., & Chinthamu, N. (2024). [Benefits of on boarding as an approach to sustaining human resources in organizations](#). Bhadrappa and S., Deeja and Chinthamu, Narender, *Benefits of on Boarding as an Approach to Sustaining Human Resources in Organizations* (November 10, 2024). *Accountancy Business and the Public Interest* Theme, 2.
- [22] Pitty, N., Praveen, R. V. S., Jain, V., Tamilselvam, M., Haripriya, D., & Bansal, S. (2024). [Cybersecurity Challenges in the Era of the Internet of Things \(IoT\): Developing Robust Frameworks for Securing Connected Devices](#). *Library of Progress-Library Science, Information Technology & Computer*, 44(3).
- [23] Priya, J. J., Sarada, V., Praveen, R. V. S., Singh, D. P., Vishwakarma, R. K., & Ansari, N. A. (2024). [Transformative Approaches to Teaching and Learning: Integrating Theory with Practice](#). *Library of Progress-Library Science, Information Technology & Computer*, 44(3).
- [24] Manavadaria, M. S., Praveen, R. V. S., Srinivas, G., Prasad, S. V., Hema, P., & C Sarode, G. (2024, November). [Smart Irrigation System to Minimize Water Usage in Agriculture Using Fully Connected Layer First Convolutional Neural Networks](#). In *Proceedings of the 3rd International Conference on Optimization Techniques in the Field of Engineering (ICOFE-2024)*.
- [25] Thamma, S. R., Prajwala, N. B., Pushpa, N. B., & Patra, A. (2025). [Neuroimaging: A Computational Lens on the Brain](#). In *Visualization in Neuroanatomical Sciences* (pp. 53-68). Cham: Springer Nature Switzerland.
- [26] Jadhav, S., Aruna, C., Choudhary, V., Gamini, S., Kapila, D., & Reddy, C. P. (2025). [Reprogramming the Tumor Ecosystem via Computational Intelligence-Guided Nanoplatfroms for Targeted Oncological Interventions](#). *Trends in Immunotherapy*, 210-226.
- [27] Hanabaratti, K. D., Shivannavar, A. S., Deshpande, S. N., Argiddi, R. V., Praveen, R. V. S., & Itkar, S. A. (2024). [Advancements in natural language processing: Enhancing machine understanding of human language in conversational AI systems](#). *International Journal of Communication Networks and Information Security*, 16(4), 193-204.
- [28] Sundravadivelu, K., Latha, P., Gd, V., Saravanan, A., Praveen, R., & Rathnavel, R. (2024, November). [An innovative adaptive filtering technique for electromyography \(EMG\) signals influenced by spinal cord transcutaneous stimulation](#). In *2024 International Conference on Advances in Computing, Communication and Materials (ICACCM)* (pp. 1-6). IEEE.
- [29] Chidambaranathan, S., Mudunuri, L. N. R., Banu, S. S., Anitha, V., Praveen, R., & Golla, S. (2024, November). [Effects of Water Quality Deterioration and the Application of Artificial Intelligence and Blockchain Technology](#). In *2024 International Conference on Advances in Computing, Communication and Materials (ICACCM)* (pp. 1-6). IEEE.
- [30] Subha, B., Nagarajan, S., Thangam, A., Srinivas, V. S., Praveen, R. V. S., & Bakshi, K. D. (2024, December). [Fuzzy Clustering and Autoencoder-Based Cybersecurity for EVs in a Blockchain-Enabled Smart Cloud Environment](#). In *2024 4th International Conference on Mobile Networks and Wireless Communications (ICMNWC)* (pp. 1-7). IEEE.
- [31] Sreelatha, B., Sheela, D. V., Praveen, R. V. S., Maheswari, K., Saravanan, A., & Singh, K. (2024, December). [Smart Agriculture: IoT-Driven Soil Monitoring and Fertilizer Recommendation with CNN and Bidirectional GRU Models](#). In *2024 4th International Conference on Mobile Networks and Wireless Communications (ICMNWC)* (pp. 01-06). IEEE.
- [32] Pulugu, D., Praveen, R. V. S., Moharana, R. L., Raju, M. N., Revathy, P., & Saravanan, K. (2024, December). [IoT-integrated leaf analysis for early plant disease detection in agriculture using hybrid ensemble models](#). In *2024 4th International Conference on Mobile Networks and Wireless Communications (ICMNWC)* (pp. 1-6). IEEE.
- [33] Mohandas, R., Elavarasi, M., Praveen, R. V. S., Chittapragada, H., Nithiya, C., & Prabagar, S. (2024, December). [Advanced cyber-attack detection in iot networks using deep belief networks and gradient boosting mechanisms](#). In *2024 4th International Conference on Mobile Networks and Wireless Communications (ICMNWC)* (pp. 1-7). IEEE.
- [34] Wange, N. J., Praveen, R. V. S., Babavali, S. F., Rao, P., Gamini, P., & Ramasamy, D. (2024, December). [Optimizing Thermal Comfort and](#)

- Energy Efficiency in Smart Buildings using GANs and Reinforcement Learning Models. In 2024 4th International Conference on Mobile Networks and Wireless Communications (ICMNWC) (pp. 1-6). IEEE.
- [35] Malviya, M., Adhana, D. K., Praveen, R. V. S., Mishra, B. R., Madasu, P., & Haralayya, B. (2025). Adaptation to Integration A Review on the Indian Accounting Standards (Ind AS) in Global Financial Reporting Convergence.
- [36] Chaubey, N. K., Dahiya, R., Venkateswaran, R., RVS, P., Hemavathi, U., & Subramaniam, S. (2025). Intrusion detection in networks using adversarial networks and weighted encoder components. In Advanced Cyber Security Techniques for Data, Blockchain, IoT, and Network Protection (pp. 413-434). IGI Global Scientific Publishing.
- [37] Thamma, S. R., Devalampeta, B. R., Jangareddy, M. R., & Tanna, P. (2026). Confidential AI Prompt Sharing: A Block-chain Driven Framework for Secure Data Exchange. In Emerging Perspectives and Applications of Computational Intelligence and Smart Systems (pp. 363-368). CRC Press.
- [38] Bhuvaneswari, E., Prasad, K. D. V., Ashraf, M., Jadhav, S., Rao, T. R. K., & Rani, T. S. (2025). A human-centered hybrid AI framework for optimizing emergency triage in resource-constrained settings. *Intelligence-Based Medicine*, 12, 100311.
- [39] Subburaj, T., Praveen, R. V. S., Devi, S. R., & Reddy, D. S. (2024, December). Enhancing Electricity Theft Detection and Loss Prediction in Metro Cites Using Hybrid Machine Learning Model. In 2024 Eighth International Conference on Parallel, Distributed and Grid Computing (PDGC) (pp. 865-870). IEEE.
- [40] Shinkar, A. R., Joshi, D., Praveen, R. V. S., Rajesh, Y., & Singh, D. (2024, December). Intelligent solar energy harvesting and management in IoT nodes using deep self-organizing maps. In 2024 International Conference on Emerging Research in Computational Science (ICERCS) (pp. 1-6). IEEE.
- [41] Mrudula, J., Praveen, R. V. S., Sowmya, V. J., Shinde, N. N., & Ganvir, P. S. (2024, December). Advanced IoT and machine learning solutions for sustainable groundwater management using edge-based residual graph attention network model. In 2024 International Conference on Emerging Research in Computational Science (ICERCS) (pp. 1-6). IEEE.
- [42] Kemmannu, P. K., Praveen, R. V. S., & Banupriya, V. (2024, December). Enhancing Sustainable Agriculture Through Smart Architecture: An Adaptive Neuro-Fuzzy Inference System with XGBoost Model. In 2024 International Conference on Sustainable Communication Networks and Application (ICSCNA) (pp. 724-730). IEEE.
- [43] Praveen, R. V. S., Mittal, M., Parida, P., Begum, R., Kumar, Y., & Nijhawan, G. (2025, February). Deep Learning Applications for Detecting Crop Diseases from Image Data. In 2025 International Conference on Computational, Communication and Information Technology (ICCCIT) (pp. 566-571). IEEE.
- [44] Kukreti, S., Praveen, R. V. S., Bansal, S., Raju, H., Singh, N., & Begum, R. (2025, February). Object Detection in Real-Time Surveillance Using Deep Learning-Based YOLO Framework. In 2025 International Conference on Computational, Communication and Information Technology (ICCCIT) (pp. 601-606). IEEE.
- [45] Dinesh, B., Thangamani, M., Rajasekhara Babu, L., Tamizharasu, S., & Ganthimathi, M. (2026, March). Integrating quantum key distribution with photonic neural networks for secure and efficient AI computing in defense and cloud systems. In Sixth International Conference on Optical and Wireless Technologies (OWT 2025) (Vol. 14168, pp. 540-545). SPIE.
- [46] Nagarajan, S., Vijay, S., Karthi, S., Praveen, R. V. S., & Nares, B. (2025, March). Enhancing IoT-Based Smart Farming Security with a Hybrid GRU Intrusion Detection System. In 2025 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation (IATMSI) (Vol. 3, pp. 1-6). IEEE.
- [47] Jadhav, S., Durairaj, M., Reenadevi, R., Subbulakshmi, R., Gupta, V., & Ramesh, J. V. N. (2024). Spatiotemporal data fusion and deep learning for remote sensing-based sustainable urban planning. *International Journal of System Assurance Engineering and Management*, 1-9.
- [48] Sagili, S. R., Shibi, B., Praveen, R. V. S., & Anjana, P. (2025). Sentiment Classification for Depression Detection: Integrating Capsule Networks with CNNs on Review Data. 2025 Emerging Technologies for Intelligent Systems (ETIS), 1-7.
- [49] Mukherjee, S., Labde, V. V., Gopal Peri, S. S. S. R., Praveen, R. V. S., Gudimella, A., Deshmukh, R., & Shrivastava, A. (2025). Decentralized Finance (DeFi): A Paradigm Shift in Global Financial Systems. *Advances in Consumer Research*, 2(3).
- [50] Thamma, S. R., Devalampeta, B. R., & Jangareddy, M. R. (2025, January). Early Detection of Pediatric Developmental Disorders Using Dual-Channel Inception Convolutional

- Transformer Neural Network with Dung Beetle Optimization Algorithm. In 2025 International Conference on Next Generation Communication & Information Processing (INCIP) (pp. 961-966). IEEE.
- [51] Selvam, M., Srivani, M., Jose, N. N., Saravanabhava, P., Praveen, R. V. S., & Vijayalakshmi, P. (2025, April). Implementing a Resilient and Pairing-Free Aggregate Signature Scheme for Healthcare Internet of Things Networks. In 2025 3rd International Conference on Communication, Security, and Artificial Intelligence (ICCSAI) (Vol. 3, pp. 428-433). IEEE.
- [52] Shahane, M. S., Rajasri, T., Praveen, R., SR, A. R., Bendale, S. P., & Venu, N. (2025, April). Optimizing the Placement of Virtual Network Functions for Energy Efficiency in a Wireless Mesh Network. In 2025 3rd International Conference on Communication, Security, and Artificial Intelligence (ICCSAI) (Vol. 3, pp. 580-585). IEEE.
- [53] Jose, N. N., Praveen, R., Suman, S. K., Medabalimi, G., & Arigela, A. K. (2025, April). Cooperative Intelligence Constructing an Internet of Things for Diverse Discourse. In 2025 3rd International Conference on Communication, Security, and Artificial Intelligence (ICCSAI) (Vol. 3, pp. 1-6). IEEE.
- [54] Hundekari, S., Praveen, R., Shrivastava, A., Hwsein, R. R., Bansal, S., & Kansal, L. (2025, May). Impact of AI on Enterprise Decision-Making: Enhancing Efficiency and Innovation. In 2025 International Conference on Engineering, Technology & Management (ICETM) (pp. 1-5). IEEE.
- [55] Khaire, S. A., Monica, C. L., Parasar, A., Praveen, R. V. S., Kalinskaya, E., & Dineshkumar, B. (2025, May). Enhancing Automated Assignment Assessment in Higher Education with a CNN-BiLSTM Model. In 2025 6th International Conference for Emerging Technology (INCET) (pp. 1-6). IEEE.
- [56] Maniraj, S. P., Boddepalli, E., Avula, V. A., Praveen, R. V. S., Kaliappan, S., & Reddy, P. C. S. (2025, May). A Novel Framework for Automated Cervical Cancer Detection and Prediction using Graph Convolutional Neural Network-based Models. In 2025 3rd International Conference on Data Science and Information System (ICDSIS) (pp. 1-6). IEEE.
- [57] Elumalai, J., Manoranjithem, V., Labde, V. V., Karpagavalli, S. M., & Praveen, R. V. S. (2025, May). Attention based Graph Convolutional Network for IoT Cybersecurity Anomaly Detection with Hyperparameter Sensitivity Analysis. In 2025 3rd International Conference on Data Science and Information System (ICDSIS) (pp. 1-6). IEEE.
- [58] Poonguzhali, C., Neethika, A., Yalagi, P. C. K., Praveen, R. V. S., Isaac, S., & Srivel, R. (2025, June). Transforming Mental Health Care through Clinical Decision Support System Surface Technology. In 2025 11th International Conference on Communication and Signal Processing (ICCSP) (pp. 474-479). IEEE.
- [59] Vandana, C. P., Basha, S. A., Madijagan, M., Jadhav, S., Matheen, M. A., & Maguluri, L. P. (2024). IoT resource discovery based on multi faected attribute enriched CoAP: smart office seating discovery. *Wireless Personal Communications*, 1-18.
- [60] Thamma, S. R., Gurumoorthi, E., Prakash, C. O., Muthusundar, S. K., Nidhya, M. S., & Maram, B. (2025, March). Comparison of SVM and Random Forest for Detection of Malicious Node in Wireless Sensor Networks. In 2025 International Conference on Machine Learning and Autonomous Systems (ICMLAS) (pp. 1637-1643). IEEE.
- [61] Kani, R. M., Kumar, K. S., Gasimov, J. Y., Praveen, R. V. S., Daniel, D. J. D., & Kumari, K. S. (2025, July). Stock Price Trend Prediction in the Banking Sector for Market Analysis and Investment Decision-Making Using a Hybrid Random Forest-LSTM Model. In 2025 3rd World Conference on Communication & Computing (WCONF) (pp. 1-6). IEEE.
- [62] Tiwari, S. S., Kumar, S., Praveen, R. V. S., Kumar, G., Sekhar, S. C., & Bhokare, R. (2025, July). Automated Smart Attendance System for Higher Education using a Lightweight DNN Model-based Face Recognition. In 2025 8th International Conference on Computing Methodologies and Communication (ICCMC) (pp. 1513-1518). IEEE.

Cite this article as: Dr. S. Mathumohan et al., (2026). Bias in the Code: Designing Fair AI Systems for Juvenile Courts and Probation Services. *International Journal of Emerging Knowledge Studies*. 5(7), pp. 1109–1122.
<https://doi.org/10.70333/ijeks-05-07-012>